



247018

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION V

April 13, 1995

HAND DELIVERED

Chicago International Exporting
Attn: Mr. Dud Cohen and Mr. Steven Cohen
4020 S. Wentworth
Chicago, IL. 60609

Dear Sirs,

This letter is to approve of the use of Suneco Inc. as the contractor for implementing the Unilateral Administrative Order (UAO) Docket No. V-W-'95-C-283.

The U.S. EPA is awaiting a re-submittal of a Work Plan which is consistent with the UAO and consistent with U.S. EPA Directives and Guidance. All PM-10 air monitoring shall be consistent with 40 CFR part 50, appendix J & K. All Total Suspended Particulate Matter (TSP) air monitoring shall be consistent with 40 CFR part 50, appendix B. All PCB air monitoring shall be consistent with U.S. EPA Method TO-4, Revision 1 April 1984, and U.S. EPA/ERT Standard Operating Procedures for Polyurethane Foam Sampling. The Sampling Plan submitted shall be consistent with U.S. EPA "Quality Assurance/Quality Control Guidance for Removal Activities", (EPA/540/G-90/004), and U.S. EPA, "Compendium of ERT Soil Sampling and Surface Geophysics Procedures", (EPA/540/P-92/006). In addition, Suneco shall submit a Health and Safety Plan which is consistent and adheres to the Occupational Safety and Health Administration (OSHA) regulations 29 CFR 1910.120.

Please notify me to give a date when the revised Work Plan will be submitted. I can be contacted on site at 312-373-1085.


Steven J. Feryan, On-Scene Coordinator
U.S. EPA Region V